



(2021 PRELIMINARY)

LATE MODEL RULES AND REGULATIONS

GENERAL RULES:

1. THE RULES AND/OR REGULATIONS SET FORTH HEREIN DOES NOT EXPRESS OR IMPLIES WARRANTY OF SAFETY, FROM PUBLICATION OF, OR COMPLIANCE WITH THESE RULES AND/OR REGULATIONS. THEY ARE INTENDED AS A GUIDELINE FOR THE CONDUCT OF THE DIRT LATE MODEL SERIES AND ARE IN NO WAY A GUARANTEE AGAINST INJURY TO PARTICIPANTS.
2. THESE RULES AND/OR REGULATIONS WILL APPLY TO ALL DIRT LATE MODEL SERIES SANCTIONED EVENTS.
3. THE DIRT LATE MODEL SERIES OFFICIALS SHALL HAVE FULL AUTHORITY OVER SAID SANCTIONED EVENTS, AND IN THE EVENT OF ANY DISPUTE, THE HEAD OFFICIAL'S DECISION WILL BE FINAL.
4. ALL ARE SUBJECT TO BE INSPECTED BY THE DIRT LATE MODEL SERIES TECHNICAL INSPECTORS AT ANY TIME DURING THE EVENT.
5. **THE SERIES RESERVES THE RIGHT TO CONFISCATE ANY SUSPICIOUS, OR DEEMED ILLEGAL, COMPONENTS.**
6. THE DIRT LATE MODEL SERIES RESERVES THE RIGHT TO ALTER OR AMEND THESE RULES AND/OR REGULATIONS IN THE INTERESTS OF FAIR COMPETITION.
7. THE RULES AND REGULATIONS FOR THE DIRT LATE MODEL SERIES HAVE BEEN SANCTIONED AND APPROVED BY THE LATE MODEL SERIES, P.O. BOX 1346, CARTERSVILLE, GA 30120, AND AVAILABLE ONLINE AT WWW.DURRENCELAYNERACING.COM.

MEMBERSHIP AND ENTRY FEES:

1. **ALL DRIVERS ENTERING A LOCAL LATE MODEL SERIES EVENTS MUST PURCHASE AN ANNUAL MEMBERSHIP, AT A COST OF \$100 PER YEAR. THIS MEMBERSHIP MAKES THE DRIVER ELIGIBLE FOR ANY RACING SERIES POINTS FUND MONIES, AND CONTINGENCY AWARDS.**
2. **A DRIVER VISITING AND NOT COMPETING AT ANY PARTICIPATING TRACK ON A MAY PURCHASE A TEMPORARY MEMBERSHIP OF \$25 PER RACE.**
3. **A \$50 ENTRY FEE WILL APPLY ANY DRIVER COMPETING AT ALL "DFW LOCAL SERIES" EVENTS.**

RACE PROCEDURES:

1. RACE PROCEDURES AT TRACKS ARE AT THE DISCRETION OF INDIVIDUAL SPEEDWAYS. RACE TRACKS SHOULD BE CONSISTENT AND FAIR IN THEIR RACE FORMATS AND PROCEDURES AT ALL TIMES. KEEP IN MIND THAT RACERS ARE ALSO COMPETING AGAINST COMPETITORS AT ALL OTHER SANCTIONED TRACKS AT THE SAME TIME.
2. IN THE EVENT OF RAIN AT THE SPEEDWAY DURING A SCHEDULED RACING EVENT AND THE FEATURE EVENT HAS NOT COMPLETED MORE THAN HALF THE ADVERTISED LAPS THAT EVENT WILL BE OMITTED FROM ANY POINTS TOTAL.

EVENT CONDUCT AND PENALTIES:

1. UNDER GREEN FLAG OR CAUTION FLAG CONDITIONS, THE SERIES DIRECTOR RESERVES THE RIGHT TO INVOKE PENALTIES AND/OR SUSPENSIONS OF ANY DRIVER WHO'S ACTIONS ARE DEEMED TO BE OVERLY AGGRESSIVE, OR FALL INTO THE CATEGORY OF **QUESTIONABLE DRIVING**.
2. DRIVERS WILL BE NOTIFIED OF PENALTIES THAT HAVE BEEN LEVIED BY THE SERIES DIRECTOR. ALL DECISIONS SHALL BE FINAL.
3. NOTE: THIS RULE IS NOT INTENDED TO ELIMINATE COMPETITION OR ACCIDENTAL CONTACT; HOWEVER, IS INTENDED THAT **DELIBERATE CONTACT AND/OR OVER/QUESTIONABLE-DRIVING**, WILL BE PENALIZED.
4. ANY COMPETITOR THAT VERBALLY ABUSES A SERIES OFFICIAL BY USING PROFANE AND/OR DISRESPECTFUL LANGUAGE IS SUBJECT TO A FINE OF \$100 FOR THE FIRST OFFENSE, A \$300 FINE, A ONE-RACE SUSPENSION AND LOSS OF POINTS FOR THE SECOND OFFENSE, AND MORE THAN TWO OFFENSES WILL BE SUBJECT TO A ONE MONTH OR MORE SUSPENSION AND LOSS OF POINTS.
5. **ANY PHYSICAL CONFRONTATION, EITHER ON THE RACE TRACK OR IN THE PITS, WILL RESULT IN THE AGGRESSOR OR AGGRESSORS BEING SUSPENDED FOR ONE RACE, LOSS OF POINTS, AND FINED \$300 FOR THE FIRST OFFENSE. THE SECOND OFFENSE WILL BE A SUSPENSION FOR THE REMAINDER OF THE SEASON, AND A MINIMUM OF A \$500 FINE.**
6. **ANY DRIVER WHO ENTERS ANOTHER DRIVER'S PIT AREA WILL BE DEEMED THE AGGRESSOR. AWAY FROM EITHER DRIVER'S PIT AREA, BOTH DRIVERS WILL BE CONSIDERED AGGRESSORS.** DRIVERS SHOULD BE AWARE THAT THEY WILL BE HELD RESPONSIBLE FOR ANY MEMBERS OF THEIR RACE TEAM, AND THE ABOVE PENALTIES WILL APPLY EVEN IF THE DRIVER CONCERNED IS NOT DIRECTLY INVOLVED.
7. ANY INCIDENTS THAT OCCUR DURING THE LAST FIVE EVENTS OF THE SEASON COULD RESULT IN PENALTIES BEING APPLIED AT THE BEGINNING OF THE FOLLOWING SEASON.
8. ANY INCIDENTS THAT ARE JUDGED TO BE DELIBERATE ACTS OF AGGRESSION, WHETHER ON OR OFF THE TRACK, UNDER GREEN OR CAUTION, WILL RESULT IN DISQUALIFICATION AND A MONETARY FINE TO BE DETERMINED BY SERIES OFFICIALS.
9. SERIES OFFICIALS RESERVE THE RIGHT TO INCREASE THE ABOVE PENALTIES, DEPENDING ON THE SEVERITY OF THE INCIDENT.
10. SERIES OFFICIALS RESERVE THE RIGHT TO REVOKE COMPETITOR'S MEMBERSHIP AT ANY TIME, ALL OFFICIAL'S DECISIONS ARE FINAL.
11. ANY THREAT OF, OR LEGAL ACTION TAKEN OR LEVIED AGAINST THE SERIES, WILL IMMEDIATELY RESULT IN THE DRIVER'S INDEFINITE SUSPENSION FROM COMPETITION IN ALL SANCTIONED DIVISIONS.
12. ANY DISQUALIFICATION OTHER THAN A WEIGHT VIOLATION WILL RESULT IN NO POINTS AND NO MONEY FOR THE EVENT.

ENGINE RULES:

1. GM PART NUMBER 88958602/19258602/88858602 & GM PART NUMBER 88958604/ 19318604.
2. THESE ENGINES ARE SEALED AT THE INTAKE MANIFOLD, CYLINDER HEAD, FRONT COVER, AND OIL PAN WITH SPECIAL TWIST OFF BOLT HEADS **OR** GM CAP SEALS ORIGINALLY FROM GM. ORIGINAL GM SEAL BOLTS, **OR** GM CAP SEALS, **OR** CRATE USA GEN. III (YELLOW), **OR** GEN. IV (GREEN) ARE THE ONLY SEALS ALLOWED. TO COMPETE WITH ANY OTHER SEALING SYSTEM CONTACT DIRECTOR FOR APPROVAL. **(THE "DFW LOCAL CRATE SERIES" WILL ALLOW ANY CURRENT SANCTION SEAL)** CRATE ENGINES MUST NOT BE ALTERED, MODIFIED OR CHANGED FROM FACTORY SPECS.
3. THE SEALED ENGINES MUST REMAIN INTACT AND NOT BE TAMPERED WITH; ANY SEALS THAT HAVE BEEN REMOVED OR TAMPERED WITH WILL MAKE THE ENGINE ILLEGAL AND NOT ELIGIBLE FOR COMPETITION. THE PENALTY FOR ANYONE TAMPERING WITH SEALS, MODIFYING ANY INTERNAL ENGINE PARTS, CHANGING THE PARTS FROM STOCK AS DELIVERED SEALED FROM THE FACTORY WILL BE SUBJECT TO EXPULSION FROM RACING WITH ANY FOR THE REMAINDER OF SEASON AND FUTURE SEASONS.
4. NO CHANGES ARE ALLOWED TO THE ENGINE - INTAKE MANIFOLD, HEADS, VALVE COVERS, FRONT COVER, OIL PAN, HARMONIC BALANCER OR ANY OTHER PART / OR PARTS ON / OR IN ENGINE.

A) After much research most Late Model Series officials, along with GM Officials, have determined on some cases that original factory cylinder heads and valve springs do not meet the required correct install height. To correct this, shimming will be allowed to meet the correct install heights listed in the chart below. These updates will be published in a forthcoming version of the GM Technical/ Specification Manual.

| Valve Spring Specifications – New | | | | |
|---|------------|-----------------|-----------------|-----------------|
| Description | | 88958602 | 88958603 | 88958604 |
| Valve Spring P/N | | 10212811 | 12551483 | 12551483 |
| Valve Spring P/N -set of 16 | | n/a | 12495494 | 12495494 |
| Diameter (+/- .010") | (A) | 1.250" | 1.340" | 1.340" |
| Free Height (+/- .015") | (B) | 2.021" | 2.154" | 2.154" |
| Installed Height (Ok to shim to proper height) | (C) | 1.70" | 1.780" | 1.780" |
| Pressure @ Installed Height (+/- 5 lbs.) | (D) | 80 lbs. | 110 lbs. | 110 lbs. |
| Open Height | (E) | 1.270" | 1.300" | 1.300" |
| Open Pressure (+/- 10 lbs.) | (F) | 195 lbs. | 270 lbs. | 270 lbs. |
| Coil Bind | (G) | 1.20" | 1.21" | 1.21" |
| Wire Diameter | | .177" | .178" | .178" |

New Beehive (blue) Valve Springs:

| Valve Spring Specifications – New (Blue) Beehive Valve Spring | | |
|--|---------------|-----------------|
| Description | Engine | 19318604 |
| Fast Burn Cylinder Head | | 19300955 |
| Valve Spring P/N -16 | | 12625033 |
| Valve Spring P/N –Retro Conversion Kit | | 19300952 |
| Diameter Top (+/- .008") | | 1.060" |
| Diameter Bottom (+/- .008") | | 1.270" |
| Free Height (+/- .015") | | 2.122" |
| Installed Height (Ok to shim to proper height) | | 1.780" |
| Pressure @ Installed Height (+/- 5 lbs.) | | 98 lbs. |
| Open Height | | 1.300" |
| Open Pressure (+/- 13 lbs.) | | 264 lbs. |
| Coil Bind | | 1.210" |
| Wire Diameter | | Ovate |

5. NO VACUUM PUMPS.
6. ALL CRATE ENGINES MUST REMAIN STOCK AS THEY CAME SEALED FROM THE FACTORY. CRATE ENGINES MUST NOT BE ALTERED, MODIFIED OR CHANGED FROM FACTORY SPECS. GM SERIAL NUMBER AND MUST BE CLEARLY VISIBLE TO SERIES TECHNICAL INSPECTORS.
7. ANY VIOLATION OF THE ENGINE RULES AND/OR FACTORY SPECS INSIDE THE SEALING SYSTEM OF THE ENGINE WILL RESULT IN THE DRIVER AND/OR OWNER BEING DISQUALIFIED FROM THAT EVENT AND SUSPENDED FROM SERIES COMPETITION FOR 30 DAYS AND PAY A \$1,000 FINE. AFTER THAT PERIOD, THE DRIVER CAN ONLY COMPETE IN SERIES EVENTS WITH AN ENGINE EQUIPPED WITH ORIGINAL FACTORY GM SEALING BOLTS, OR CRATE USA SEALS FROM AN AUTHORIZED REBUILDER APPROVED AND, AUTHORIZED BY OFFICIALS. DRIVER AND/OR OWNER WILL BE NOTIFIED IN WRITING OF SERIES DECISION, ALL DECISIONS ARE FINAL.
8. ANY VIOLATION OF THE ENGINE RULES AND/OR FACTORY SPECS OUTSIDE THE SEALING BOLTS OF THE ENGINE WILL RESULT IN THE DRIVER BEING DISQUALIFIED FROM THAT EVENT. DRIVER AND/OR OWNER COULD BE SUSPENDED FROM SERIES COMPETITION FOR UP TO BUT NOT MORE THAN 30 DAYS, AND FINED UP TO BUT NOT MORE THAN \$500.00, AT SERIES OFFICIALS DISCRETION. DRIVER AND/OR OWNER WILL BE NOTIFIED IN WRITING OF SERIES DECISION, ALL DECISIONS ARE FINAL.

ENGINE SETBACK RULE:

1. ENGINE SETBACK WILL BE 6" FROM CENTER OF TOP BALL JOINT TO THE #1 SPARK PLUG WITH A 1-INCH TOLERANCE ON ENGINE SETBACK. THERE WILL BE A 50 POUND PENALTY FORWARD OF THE MOTOR PLATE FOR EACH 1/2-INCH OF SET

BACK BEYOND SEVEN (7) INCHES OF ENGINE SETBACK. NO CARS WITH MORE THAN AN EIGHT (8) INCH ENGINE SETBACK WILL BE ALLOWED TO COMPETE.

CARBURETOR RULES:

1. ONE FOUR-BARREL CARBURETOR ONLY OF ANY MANUFACTURE.
2. ENGINE MUST BE NATURALLY ASPIRATED.
3. **604** - MAY USE ONE CARBURETOR SPACER (1 INCH-ONE PIECE WITH .040 TOLERANCE MAXIMUM) AND TWO STANDARD PAPER GASKETS (MAXIMUM 0.070-INCH-THICK), ONE GASKET BETWEEN INTAKE TO SPACER AND ONE GASKET BETWEEN SPACER TO CARBURETOR. **AT NO POINT MAY SPACER EXTEND INTO INTAKE MANIFOLD AREA.**
4. **602** - MAY USE ONE CARBURETOR SPACER (2 INCH-ONE PIECE WITH .040 TOLERANCE MAXIMUM) AND TWO STANDARD PAPER GASKETS (MAXIMUM 0.070-INCH-THICK), ONE GASKET BETWEEN INTAKE TO SPACER AND ONE GASKET BETWEEN SPACER TO CARBURETOR. **AT NO POINT MAY SPACER EXTEND INTO INTAKE MANIFOLD AREA.**

DISTRIBUTOR RULE:

1. ANY ELECTRONIC DISTRIBUTOR-TYPE IGNITION SYSTEM. NO CRANK TRIGGER, DISTRIBUTORLESS MULTI-COIL, OR MAGNETO IGNITION SYSTEM.
2. NO ELECTRONIC TRACTION CONTROL DEVICES ALLOWED.

3. **6800 RPM CHIP (TEXAS SERIES ONLY)**

STARTER RULE:

1. ALL CARS MUST HAVE STARTER IN WORKING ORDER.

WATER PUMP RULES:

1. CAST OR ALUMINUM PERMITTED.
2. NO ELECTRIC WATER PUMP.

EXHAUST RULES:

1. COLLECTOR TYPE HEADERS REQUIRED. MUST HAVE FOUR (4) TUBES INTO ONE (1) COLLECTOR OF A CONSISTENT DIAMETER.
2. **MUFFLERS NOT REQUIRED UNLESS TRACK MANDATES. WHEN MANDATED MUFFLER'S MUST HAVE SOME TYPE OF INTERNAL NOISE DAMPENING CHARACTERISTICS, BAFFLES, EXTRUDED HOLES, SCREEN, CHAMBERED, ETC. MUFFLER'S MUST MEET LOCAL SPEEDWAY'S NOISE DECIBEL REQUIREMENTS. EXTERNAL MUFFLERS ONLY.**
Kennedale Speedway is Zero Tolerance you must have "Mufflers"
3. NO TRI-Y HEADERS OR MERGED HEADERS ALLOWED
4. NO SQUARE-TUBE HEADERS ALLOWED

FUEL - FUEL CELL - FUEL PUMP RULES:

1. AN APPROVED FUEL CELL (32 GALLON MAXIMUM) MUST BE SECURELY MOUNTED IN THE TRUNK AREA OF THE CAR, INSIDE A .20 GAUGE METAL BOX SUPPORTED BY A MINIMUM OF TWO 2" BY 1/8" STEEL STRAPS.
2. ALL FUEL CELLS MUST BE COMPLETELY VISIBLE FROM REAR OF CAR.
3. GASOLINE, RACING GAS OR E-85 ALLOWED. **NO METHANOL OR ALCOHOL. NO NITROUS OXIDE. NO PROPYLENE OXIDE. NO NITROETHANE OR MTBE. NO HYDRAZINE. NO ETHYLHEXANOL.**
 - **GASOLINE OR RACING GAS: SPECIFIC GRAVITY NOT TO EXCEED .744 at 60 DEGREES. FUEL IS SUBJECT TO TESTING ON SITE OR FUEL SAMPLES MAY BE TAKEN AND SENT TO AN INDEPENDENT LAB FOR TESTING ANY GASOLINE OR RACING GAS WITH A SPECIFIC GRAVITY OF .745 OR GREATER WILL BE DISQUALIFIED.**

- **E-85: SPECIFIC GRAVITY NOT TO EXCEED .7855 AT 60 DEGREES. ANY E-85 WITH A SPECIFIC GRAVITY OF .7856 OR GREATER WILL BE DISQUALIFIED. FUEL IS SUBJECT TO TESTING ON SITE OR FUEL SAMPLES MAY BE TAKEN AND SENT TO AN INDEPENDENT LAB FOR TESTING**

IT IS THE RACER'S RESPONSIBILITY TO KNOW WHAT IS BEING PUT INTO THEIR FUEL CELL. SERIES RESERVES THE RIGHT TO TAKE FUEL SAMPLES AND SEND THEM TO AN INDEPENDENT LABORATORY FOR TESTING AT ANY TIME.

Recommended Fuels to Use:

PENALTIES FOR ILLEGAL FUEL: PENALTIES FOR ANY FUEL FAILING INSPECTION WILL BE AS FOLLOWS:
FIRST OFFENSE - \$250 FINE & 2 race SUSPENSION FROM ANY SEIRES EVENT. SECOND OFFENSE - \$1,000 FINE & 90 DAY SUSPENSION FROM ANY EVENT. THIRD OFFENSE - \$2,000 FINE & 365 DAY SUSPENSION FROM ANY EVENT. **ALL DECISIONS ARE FINAL.**

4. MECHANICAL FUEL PUMP ONLY, CAM DRIVEN, OR BELT DRIVEN ONLY. **NO ELECTRIC FUEL PUMPS.**

EVENT ENGINE PROTESTS:

1. THE PROTEST FEE FOR A COMPLETE TEAR DOWN AN ENGINE THAT FINISHES THE A-MAIN IS \$900, AND THE FEE MUST BE PAID TO THE RACE DIRECTOR OR TECHNICAL DIRECTOR, IN CASH, WITHIN 10 MINUTES AFTER THE CHECKERED FLAG HAS FALLEN ON THE A-MAIN. MUST FINISH IN THE TOP 5 TO BE ELIGIBLE TO PROTEST. \$250 OF PROTEST FEE WILL GO THE SERIES; REMAINING \$650 WILL GO TO WINNER OF PROTEST.
2. AT ANY TIME, AN ENGINE IS PROTESTED, AND DRIVER/CAR OWNER ACCEPTS PROTEST AND AGREES TO TEAR DOWN, THE ENGINE BEING PROTESTED MUST BE REMOVED AND IMPOUNDED BY RACE TRACK RIGHT THEN AND MAKE ARRANGEMENTS FOR A CERTIFIED INSPECTION. ANY REFUSAL AT THIS POINT FOR ANY REASON WILL RESULT IN DISQUALIFICATION AND DEALT WITH ACCORDINGLY. **NO COUNTER/REVERSE PROTEST ALLOWED (CAN NOT PROTEST CAR FINISHING BEHIND YOU).**
3. ANY RACE TRACK IS AUTHORIZED TO CALL FOR AN ENGINE INSPECTION OR TEAR DOWN BY CRATE RACING USA NATIONAL TECHNICAL DIRECTOR IF PRESENT. IF THIS HAPPENS TRACK WILL REMOVE ENGINE AT RACE TRACK AND IMPOUND UNTIL INSPECTION DAY CAN BE ARRANGED FOR ALL PARTIES INVOLVED.
4. FAILURE AND/OR REFUSAL TO TEAR DOWN AN ENGINE AND/OR FOR YOUR RACE CAR TO BE INSPECTED BY SERIES OFFICIALS AT ANY TIME WILL RESULT IN A 365-DAY SUSPENSION AND FINE OF A DETERMINED AMOUNT BY SERIES OFFICIALS.
5. ONLY TWO PEOPLE FROM THE PROTESTED CAR AND THE DRIVER FILING THE PROTEST WILL BE ALLOWED IN THE TECH AREA DURING A PROTEST. DRIVER INITIATING THE PROTEST MUST BE PRESENT. ALL OFFICIAL'S DECISIONS ARE FINAL.

BODY RULES:

1. NO RAISED OR GURNEY LIPS OF ANY TYPE ALLOWED ON BODY. DOORS AND QUARTERS MUST BE FLAT, OR MAY HAVE AN OUTWARD BODY ROLL, NO DOORS OR BODY PANELS ALLOWED TO BE ROLLED OR CURVED INWARD. NO TUNNELING OF ANY TYPE ALLOWED UNDERNEATH BODY, ALONG FRAME, OR AROUND FUEL CELL AREA. A STONE SHIELD FOR REMOTE OIL FILTER OR TRANSMISSION IS ALLOWED (See illustrations at the end of this Rulebook for further body specifications).
2. SPOILER SIZE - **MAXIMUM 8"**. SPOILERS MUST BE MADE OF A SOLID MATERIAL SUCH AS LEXAN, SHEET ALUMINUM, OR MATERIALS OF EQUAL STRENGTH. SPOILER & SPOILER SUPPORTS SHOULD BE MADE OF EQUAL MATERIAL ON ALL AREAS. NO OPEN SPOILER SUPPORTS. SPOILER HEIGHT, WIDTH, AND ANGLE MUST BE THE SAME AT ALL TIMES FOR THE ENTIRE AREA OF THE SPOILER. NO VARYING SPOILER HEIGHTS OR SPOILER ANGLES.
3. ROOF SUPPORTS OR "C" PILLARS ON BOTH SIDES MUST BE MADE OF EQUAL MATERIAL. WINDOW OPENINGS ARE ALLOWED BUT MUST BE THE SAME SIZE OPENING ON LEFT AND RIGHT SIDE. IF CLEAR LEXAN WINDOW IS USED IT MUST BE USED ON BOTH SIDES. EITHER SIDES OPEN, OR BOTH SIDES CLOSED. CURVED OR ARCED ROOF SUPPORTS ALLOWED,
3" MAXIMUM ARC ALLOWED AT WIDEST POINT, CHECKED WITH STRAIGHT EDGE, EXTENDED FROM ROOF EDGE TO DOOR EDGE.
4. DOMINATOR NOSE PIECE IS ALLOWED.
5. BODYS MUST BE KEPT IN GOOD APPERANCE, OF GOOD TASTE AND SAFE FREE FROM LOOSE, SHARP, OR DAMAGED AREAS.

FRAME RULES:

1. ALL FRAMES MUST BE OF STEEL CONSTRUCTION.
2. SQUARE OR RECTANGULAR FRAME MUST HAVE A MINIMUM OF 2" BY 2" MATERIAL, .083 WALL THICKNESSES.

3. ROUND TUBE FRAME, TUBING MUST HAVE A MINIMUM OF 1-3/4" OUTSIDE DIAMETER, .083 WALL THICKNESSES

4. NO STOCK CLIP CARS

SUSPENSION RULES:

1. STANDARD LATE MODEL SUSPENSIONS ONLY. NO SPRING LOADED OR SHOCK TYPE 4 BAR RODS. ONLY STANDARD SOLID BAR 4 BAR RODS. NO TORSION BAR FRONT OR REAR SUSPENSION. SWAY BAR IS OK.
2. STANDARD ONE PIECE BIRD CAGES; NO SPLIT BIRD CAGES.
3. STANDARD LATE MODEL SUSPENSIONS EQUALS ONE (1) SHOCK PER WHEEL, EXCEPT ON LEFT REAR. LEFT REAR IS ALLOWED TWO SHOCKS; ONE IN FRONT OF REAR END, AND ONE BEHIND. SHOCKS MUST BE MOUNTED VERTICAL TO AXLE TUBE, NOT HORIZONTAL.
4. CHASSIS BRAKETS MUST BE FIXED. NO MOVEMENT.
5. NO DATA ACQUISITION DEVICES OF ANY TYPE ALLOWED.

SHOCK RULE:

1. SHOCKS, AT ANY POSITION ON THE RACE CAR, INCLUDING LIFT BAR OR TORQUE ARM SHOCKS, MUST BE CONSTRUCTED OF MAGNETIC STEEL OR ALUMINUM. SHOCKS OF THE "THRU ROD" STYLE ARE **NOT** PERMITTED. REMOTE RESERVOIRS - **ARE PERMITTED**. EACH SHOCK MAY HAVE A MAXIMUM OF **TWO** EXTERNAL ADJUSTMENT MECHANISMS. EXTERNAL RESERVOIR MAY ONLY HAVE ONE EXTERNAL ADJUSTMENT. ADJUSTER MECHANISMS MAY NOT BE HIDDEN BY THE ROD END. ALL ADJUSTERS MUST BE LOCATED ON THE SHOCK BODY, ON THE SHOCK ROD, OR ON THE REMOTE RESERVOIR; COCKPIT ADJUSTABLE SHOCKS ARE **NOT** PERMITTED. **NO REMOTE ADJUSTMENT OF SHOCKS IS PERMITTED, INCLUDING ELECTRONIC ADJUSTMENT WHETHER HARD WIRED OR WIRELESS. SHOCK/DAMPER DEVICES THAT ARE OR CAN BE REFERRED TO OR DEFINED AS AN "INERTER" OR REFERRED TO OR DEFINED AS A "J-DAMPER" ARE NOT PERMITTED ANYWHERE ON THE CAR.**

WHEEL BASE RULE:

1. MINIMUM WHEELBASE WILL BE 103".

ROLL CAGE RULES:

1. ALL CARS MUST HAVE A SUITABLE STEEL ROLL CAGE PROTECTING THE DRIVER'S COMPARTMENT, INCLUDING HEADREST.
2. SIDE ROLL BARS ARE MANDATORY AND MUST EXTEND INTO THE DOOR PANELS. A MINIMUM OF THREE (3) BARS MUST BE ON THE LEFT SIDE.
3. EACH BAR MUST BE AT LEAST 1 - 1/2" DIAMETER, WITH A MINIMUM MATERIAL THICKNESS OF .083".
4. ROLL CAGES MUST BE WELDED TO FRAME.

SAFETY RULES:

DRIVER SAFETY IS THE DRIVERS RESPONSIBILITY! THIS IS NOT THE AREA OF THE RACE CAR TO TRY AND SAVE MONEY. ANY MONEY SPENT ON DRIVER SAFETY WILL ALWAYS BE WELL WORTH IT!

1. ALL CARS MUST HAVE 3" SEAT BELTS WITH SHOULDER HARNESS AND MUST BE ATTACHED TO ROLL CAGE. 3YRS MAXIMUM AGE STRONGLY RECOMMENDED.
2. ALL CARS MUST BE EQUIPPED WITH A 2 POUND ABC FIRE EXTINGUISHER. CRATE USA STRONGLY RECOMMENDS A 5LB HALON SYSTEM.
3. CRATE USA STRONGLY URGES AND RECOMMENDS SOME TYPE OF HEAD AND NECK RESTRAINT SYSTEM BUT IS NOT REQUIRED.
4. ALL DRIVERS MUST WEAR A COMPLETE FIRE SUIT AND SHOES.
5. **GLOVES** ARE HIGHLY **RECOMMENDED** **AT REQUIRED AT ALL TEXAS AND OKLAHOMA TRACKS.**
6. AUTO DISCHARGE FIRE SUPPRESSION WILL BE MANDATORY UPON A "TBD" DATE AND ARE HIGHLY RECOMMENDED BEFORE HAND.

TRANSMISSION RULE:

1. MUST HAVE AT LEAST ONE FORWARD AND ONE REVERSE GEAR IN WORKING ORDER.
2. NO STRAIGHT DRIVES OR IN AND OUT BOXES.
3. DRIVE SHAFTS MUST BE PAINTED WHITE - CARBON FIBER DRIVE SHAFTS ARE LEGAL.
4. **BALL SPLINE TRANSMISSIONS-STRONGLY RECOMMENDED TO RUN CARBON FIBER DRIVE SHAFTS ONLY! (This is for your safety)**

BRAKE RULES:

1. STEEL BRAKE ROTORS ONLY--NO CARBON FIBER BRAKES, TITANIUM BRAKES OR OTHER EXOTIC MATERIAL BRAKE SYSTEMS.

WHEEL RULES:

1. ANY BRAND OR TYPE OF ALUMINUM WHEEL ALLOWED MUST BE MOUNTED WITH LUG NUTS.
2. NO KNOCK-OFF OR CENTER LOCK WHEELS.
3. MAXIMUM WHEEL WIDTH - 14"
4. WHEEL DISCS WILL BE PERMITTED FASTENED TO THE WHEEL USING A MINIMUM OF THREE (3), 1/4 OR 5/16 INCH DIAMETER STEEL BOLTS. **NO DZUS FASTENERS ALLOWED.**

TIRE RULE: **PLEASE READ CAREFULLY** To be amended in the near future.

1. HOOSIER D21 STAMPED CRATE RACIN' USA AND SHOULDER PLATED. HOOSIER D-55 STAMPED CRATE RACIN' USA AND SHOULDER PLATED. TIRES MAY BE DUROMETERED AND CRATE RACIN' USA D21 MUST PUNCH 46 OR HARDER WHEN CHECKED COLD, D55 MUST PUNCH 60 OR HARDER WHEN CHECKED COLD. ANY TIRE FAILING TO PUNCH PROPERLY WILL BE DISQUALIFIED FOR REMAINDER OF THE RACING EVENT. TIRE/TIRES IN QUESTION WILL BE CONFISCATED. **NO GROOVING, SIPING, OR NEEDLING ALLOWED ON THE CRATE RACIN' USA D-GROOVING AND SIPING WILL BE ALLOWED ON THE CRATE RACIN' USA D-55 ONLY, NO NEEDLING.** GRINDING/BUFFING TIRES IS PERMITTED. NO VISUAL CUTS SHOULD BE PRESENT ON TIRES. **USE OF CARBIDE/NAIL STYLE DISCS IS PROHIBITED.** TIRES MUST REMAIN IN FACTORY MANUFACTURED CONDITION. ANY ALTERATIONS FROM FACTORY MANUFACTURED TIRE IS PROHIBITED. **ALL DECISIONS ARE FINAL.**

MANY CRATE SANCTIONS USES "THE SNIFFER" AS ONE OF ITS TOOLS FOR CHEMICAL DETECTION. AT ANY TIME "THE SNIFFER" DETERMINES THERE IS AN UNAPPROVED CHEMICAL PRESENCE WHETHER INSIDE THE TIRE, WHEEL, OR OUTSIDE THE TIRE, OR WHEEL, THAT DRIVER/DRIVER'S WILL BE DISQUALIFIED FOR THE REMAINDER OF THE RACING EVENT. TIRE/TIRES IN QUESTION WILL BE CONFISCATED.

THE SERIES WILL AT USE LABORATORY TESTING TO TEST FOR ANY ALTERATION OF TIRES, AND ANY TIRE TESTED MUST MEET THE FACTORY SUPPLIED BENCHMARK. ANY TIRE FAILING TO MEET THE FACTORY SUPPLIED BENCHMARK WILL BE DISQUALIFIED. THE SERIES MAY USE ANY MEANS NECESSARY TO DETERMINE IF TIRES MEET MANUFACTURER'S SUPPLIED BENCHMARK, AND THAT DECISION IS THE SOLE DISCRETION OF THE SERIES. **ALL DECISIONS ARE FINAL.**

2. IT IS THE DRIVERS RESPONSIBILITY TO KNOW WHAT IS ON THEIR RACE CAR AT ALL TIMES. ANY USED WHEELS OR TIRES THAT MAY BE SUSPECT BY THE DRIVER SHOULD NOT BE USED.
3. **PENALTIES FOR ILLEGAL TIRES:** PENALTIES FOR ANY TIRE FAILING INSPECTION WILL BE AS FOLLOWS. FIRST OFFENSE, \$500 FINE & 30 DAY SUSPENSION FROM ANY EVENT. SECOND OFFENSE, \$1,000 FINE & 90 DAY SUSPENSION FROM ANY CRATE RACING USA SANCTIONED EVENT. THIRD OFFENSE \$2,000 FINE & 365 DAY SUSPENSION FROM ANY CRATE RACING USA SANCTIONED EVENT. FAILURE TO ALLOW ANY TIRE/TIRES TO BE CONFISCATED WILL RESULT IN ADDITIONAL \$500 PER TIRE FINE, IN ADDITION TO ANY OTHER FINES AND PENALTIES. **ALL DECISIONS ARE FINAL.**

WARNING: THE HOOSIER RACING TIRES STRICTLY FORBIDS ANY CHEMICAL ALTERATION OF THE TIRE CARCASS AND/OR

TREAD COMPOUND, SUCH AS TIRE SOAKING OR USE OF TREAD "SOFTENER." THE DURRENCE LAYNE DIRT LATE MODEL SERIES (CRATE RACIN' USA) AND HOOSIER RACING TIRE STRICTLY FORBIDS THE PHYSICAL DEFAACEMENT (REMOVAL, ALTERING, OR COVERING) OF TIRE SIDEWALL MARKINGS IN ANY MANNER. FAILURE TO COMPLY WITH THIS WARNING COULD RESULT IN PREMATURE OR CATASTROPHIC TIRE FAILURE AND MAY RESULT IN SERIOUS INJURY OR DEATH.

WEIGHT RULES

1. GM 602 CRATE ENGINE #88958602/#19258602/#88858602 - 2200 LBS AT ALL TIMES
2. **GM 604 CRATE ENGINE # 88958604 - 2300 LBS AT ALL TIMES.**
3. ATTACHED WEIGHT MUST BE SECURELY BOLTED TO FRAME WITH 1/2" OR LARGER BOLTS. WEIGHT MUST BE PAINTED WHITE WITH CAR NUMBER DISPLAYED. PENALTY FOR LOSING ATTACHED WEIGHT ON THE RACE TRACK IS DISQUALIFICATION FROM THE EVENT.
4. SERIES OFFICIALS RESERVE THE RIGHT TO WEIGH ANY CAR AT ANY TIME DURING AN EVENT.
5. HEAT RACE AND CONSOLATION RACE WINNERS AND TRANSFER CARS WILL PROCEED DIRECTLY TO THE SCALES TO BE WEIGHED IMMEDIATELY AFTER THE EVENT HAS BEEN COMPLETED. DO NOT GO TO YOUR PIT AREA FIRST! THIS MAY RESULT IN A DISQUALIFICATION.
6. THE TOP 4 FINISHERS IN THE FEATURE EVENT WILL PROCEED DIRECTLY TO THE SCALES TO BE WEIGHED IMMEDIATELY AFTER THE EVENT HAS BEEN COMPLETED. DO NOT GO TO YOUR PIT AREA FIRST! THIS MAY RESULT IN A DISQUALIFICATION.
7. IF A CAR DOES NOT MAKE WEIGHT ON THE FIRST ATTEMPT, THE CAR MAY BE ROLLED BACK OFF THE SCALES AND ROLLED BACK ON THE SCALES - ONE TIME ONLY.
8. A CAR WEIGH IN LIGHT AFTER QUALIFYING OR A HEAT RACE, THE CAR WILL BE PENALIZED TO THE REAR OF THE NEXT SCHEDULED PRELIMINARY EVENT.
9. SHOULD A CAR WEIGH IN LIGHT AFTER A MAIN EVENT, THE CAR WILL BE PENALIZED TO THE LAST PLACE FINISHING POSITION.

RACE PROCEDURES:

EVENT SPIN RULES:

1. ANY CAR SPINNING OUT TWICE (2) AND/OR STOPPING ON THE TRACK WHICH BRINGS OUT THE CAUTION FLAG TWICE, WILL BE BLACK FLAGGED AND SENT TO THE PITS.
2. ON INITIAL START OF A RACE, IF CONTACT IS MADE CAUSING A CAR OR CARS TO SPIN OUT, AND NO LAPS ARE COMPLETED; THE CARS INVOLVED WILL GET THEIR RESPECTIVE STARTING SPOTS BACK FOR THE COMPLETE RESTART. IF NO CONTACT IS INVOLVED AND A CAR SPINS OUT ON THE INITIAL START, THAT CAR WILL RESTART IN THE LAST STARTING POSITION.

EVENT STARTS AND DOUBLE-FILE RESTARTS:

1. ON INITIAL STARTS OF FEATURE EVENTS, POLE SITTER WILL HAVE THE OPTION TO CHOOSE TO START INSIDE OR OUTSIDE OF FRONT ROW. ONCE ALL PARADE LAPS ARE COMPLETED, RACE DIRECTOR WILL ASK POLE SITTER TO CHOOSE INSIDE OR OUT, AND POLE SITTER MUST MAKE A DEFINITIVE MOVE TO ACKNOWLEDGE CHOICE. THIS AFFECTS FRONT ROW OF FEATURE EVENT ONLY.
2. IF A DRIVER JUMPS THE ORIGINAL START OF A RACE, THE CAUTION FLAG WILL COME OUT, AND THE DRIVER JUMPING THE START WILL GET ONE WARNING. IF THE SAME DRIVER JUMPS THE START A SECOND TIME, THE CAUTION WILL COME OUT, AND THAT DRIVER WILL BE PENALIZED ONE ROW.
3. RESTARTS IN ALL RACES AFTER THE ORIGINAL START WILL BE "LEADER OUT FRONT" DOUBLE-FILE RESTARTS. DURING THE CAUTION PERIOD, CARS WILL REMAIN SINGLE-FILE WHILE THE FIELD IS RESET VIA RACECEIVER RADIO IN THE ORDER BY THE LAST COMPLETED LAP. ONCE THE FIELD IS SET, THE SECOND-PLACE DRIVER WILL BE ASKED VIA RACECEIVER RADIO TO CHOOSE THE INSIDE OR OUTSIDE LINE FOR THE RESTART. THE THIRD-PLACE CAR AND THOSE BEHIND WILL FILL IN THE APPROPRIATE LINE FOR THE RESTART. THE RACE LEADER WILL BE IN A ROW BY HIMSELF, AND MAY RESTART EITHER INSIDE OR OUTSIDE. ONCE THE DOUBLE-FILE LINE-UP HAS BEEN SET, THE ONE-TO-GO SIGNAL WILL BE GIVEN, AND DRIVERS MUST HOLD THEIR

POSITION UNTIL THE GREEN FLAG IS DISPLAYED.

4. IF A DRIVER JUMPS A DOUBLE-FILE RESTART, THAT DRIVER WILL BE PENALIZED TWO POSITIONS FOR EACH CAR JUMPED ON THE RESTART. THE DRIVER WILL BE MOVED BACK IN THE RUNNING ORDER AT THE NEXT CAUTION FLAG FROM THE POSITION HE WAS RUNNING AT THE TIME OF THE RESTART, OR AT THE END OF THE RACE, WHICHEVER COMES FIRST.
5. OFFICIALS RESERVE THE RIGHT TO GO TO A SINGLE-FILE RESTART AT ANY TIME DURING AN EVENT DUE TO TRACK CONDITIONS. INSIDE 10 LAPS TO GO IN FEATURE EVENT, RACE DIRECTOR RESERVES THE RIGHT TO MAINTAIN DOUBLE-FILE RESTARTS OR TO GO SINGLE FILE RESTART DEPENDING ON TRACK CONDITIONS AND IN THE INTEREST OF GOOD COMPETITION.
6. IF A DRIVER EXITS THE SPEEDWAY PRIOR TO AN INITIAL START (FIRST GREEN FLAG) FOR ANY REASON, THEY MAY REJOIN THE FIELD IN THEIR ASSIGNED STARTING POSITION. ONCE THE INITIAL GREEN FLAG IS WAVED THE RACE HAS BEGUN, AND IF A DRIVER EXITS THE SPEEDWAY, THEY MUST JOIN THE FIELD AT THE REAR UPON RETURN.

EVENT REGISTRATION, FAN ZONE, AND SIGN-IN:

1. EACH DRIVER MUST SIGN-IN DURING THE DESIGNATED TIMES BEFORE THE DRIVER'S MEETING AT EACH EVENT TO DRAW FOR A STARTING SPOT. DRIVERS THAT FAIL TO REGISTER DURING THIS TIME WILL BE PENALIZED.
2. EACH DRIVER MUST PAY THEIR ENTRY FEE AT THE SIGN-IN BEFORE PRESENTING THEIR RACE CAR AT THE PRE-RACE TECHNICAL INSPECTION.
3. EACH DRIVER WILL ALSO PROVIDE ANY INFORMATION TO THE SERIES P.R. PERSONNEL REGARDING EQUIPMENT (CAR NUMBER/CHASSIS/ ENGINE NUMBER & ENGINE BUILDER), TEAM PERSONNEL (DRIVER NAME/HOMETOWN/ CREW CHIEF/CAR OWNER), AND SPONSORS, OR ANY CHANGES IN APPROPRIATE INFORMATION.
4. ALL DRIVERS MUST FILL OUT AND SIGN A DRIVER/CAR OWNER INFORMATION SHEET TO SERIES OFFICIALS AT SIGN-IN WITH CONTACT AND TAX INFORMATION OR INFORM SERIES OFFICIALS OF ANY CHANGES IF THEY HAVE PREVIOUSLY FILLED OUT A DRIVER INFORMATION FORM. **COMPETITORS ARE STRONGLY URGED TO PROVIDE AN E-MAIL ADDRESS IN ORDER TO RECEIVE IMPORTANT SERIES INFORMATION DURING THE SEASON IN A TIMELY MANNER.**
5. DRIVER MUST **COMPLETELY** FILL OUT AND SIGN A REGISTRATION FORM, EITHER ONLINE OR AT AN EVENT, IN ORDER TO RECEIVE A MEMBERSHIP CARD. IF REGISTERING ONLINE, THE DRIVER MUST SIGN THE REGISTRATION FORM AT THE FIRST SANCTIONED EVENT THEY ATTEND.
6. ALL EVENTS UTILIZE ELECTRONIC SCORING AND TIMING. IT IS MANDATORY THAT ANY ONE COMPETING AT A EVENT RENT THE NECESSARY TRANSPONDERS AND EQUIPMENT UPON REGISTRATION FROM THOSE DESIGNATED BY TO BE IN CHARGE OF ELECTRONIC SCORING AND TIMING ON THE DAY OF THE RACING EVENT IF NOT EQUIPED WITH PERSONAL TRANSPODER.
7. DRIVERS THAT ARE IN THE TOP 10 IN POINTS ARE REQUIRED TO ATTEND FAN ZONE EVENTS. TIME AND LOCATION WILL BE GIVEN TO EACH DRIVER IN THE TOP 10 NO LATER THAN 24 HOURS PRIOR TO EACH EVENT. DRIVERS ARE ENCOURAGED TO BRING HERO CARDS AND OTHER GIVE AWAY ITEMS. **DRIVERS THAT FAIL TO ATTEND FAN ZONE FESTIVITIES WILL FACE A 25 POINT DEDUCTION FROM THEIR POINTS TOTAL. ONLY EXTREME AND RARE CIRCUMSTANCES WILL BE EXCUSABLE FOR FAILURE TO ATTEND. SERIES' OFFICIALS DECISIONS WILL BE FINAL.**

EVENT TECHNICAL INSPECTION:

1. SERIES OFFICIALS RESERVE THE RIGHT TO TECH ANY CAR AT ANY TIME DURING AN EVENT.
2. SERIES TECHNICAL OFFICIALS WILL INSPECT ALL CARS BEFORE HOT LAPS DRIVERS MUST PAY THEIR ENTRY FEE AND COMPLETE ANY REQUIRED PAPERWORK AT THE SERIES REGISTRATION TABLE BEFORE PRESENTING THEIR CAR AT THE PRE-RACE TECHNICAL INSPECTION.
3. DRIVERS WILL RECEIVE A TECH TICKET AFTER COMPLETING THEIR REGISTRATION TO PRESENT TO THE TECHNICAL INSPECTOR THAT SHOWS YOU HAVE COMPLETED YOUR REGISTRATION FOR THE EVENT AND THAT YOUR RACE CAR IS READY FOR TECHNICAL INSPECTION.
4. NOTIFICATION WILL BE GIVEN AT THE DRIVERS MEETING AS TO THE POST-RACE TECHNICAL INSPECTION PROCEDURE.

5. ANY CAR FOUND TO BE IN VIOLATION OF THE CRATE RACIN' USA RULES, OTHER THAN WEIGHT, DURING THE POST-RACE INSPECTION WILL BE DISQUALIFIED FROM THAT EVENT AND RECEIVE NO POINTS AND NO MONEY.

EVENT DRIVERS MEETING:

1. ALL DRIVERS MUST ALWAYS ATTEND THE DRIVERS MEETING, AS IMPORTANT ANNOUNCEMENTS CONCERNING THE EVENT, IT'S FORMAT, AND PROCEDURES WILL BE GIVEN.
2. THE TIME AND PLACE OF THE DRIVERS MEETING WILL BE ANNOUNCED AND POSTED AT EACH EVENT.

HOT LAPS:

1. EACH DRIVER WILL BE ASSIGNED A HOT LAP SESSION THE DRIVER MUST HOT LAP IN THEIR RESPECTIVE GROUP UNLESS APPROVED OTHERWISE BY THE CRATE RACIN' USA DIRT LATE MODEL SERIES RACE DIRECTOR.
2. EACH DRIVER WILL RECEIVE ONE HOT LAP SESSION UNLESS OTHERWISE STATED.

EVENT PROVISIONALS:

1. TWO PROVISIONAL STARTERS **MAY** BE ADDED TO THE A-MAIN STARTING FIELD IN LAST STARTING POSITIONS BASED ON POINTS. IF ONE OR BOTH PROVISIONALS ARE NOT FILLED, THE LAST STARTING POSITION WILL BE FILLED BY THE NEXT ELIGIBLE FINISHER (S) AS DETERMONED BY THE RACE DIRECTOR.
2. EACH DRIVER MAY ONLY BE ELEGIBLE THREE (3) PROVISIONALS DURING THE 2021 SEASON.

ATTENTION ALL CAR OWNERS AND DRIVERS:

PLEASE REMEMBER THAT WE ARE HERE BECAUSE OF THE FANS, PROMOTERS AND THE SPONSORS. IF THEY DON'T BENEFIT, WE WON'T BENEFIT. WHILE WE UNDERSTAND THAT THIS COMPETITION INVOLVES SUBSTANTIAL FINANCIAL STAKES, THERE IS NO EXCUSE FOR BAD OR UNRULY BEHAVIOR, WHICH WOULD TEND TO BRING THE SERIES INTO DISREPUTE.

IN THE EVENT OF ANY FELONY CONVICTION OF A DRIVER, TEAM MEMBER OR TEAM SPONSOR, THE DISCIPLINARY ACTION SHALL BE A MINIMUM 12 MONTH BAN FROM THE SERIES BEGINNING WITH THE DATE OF THE CONVICTION, OR, THE DATE OF THE COMPLETION OF ANY INCARCERATION SUBSEQUENT TO SAID CONVICTION, WHICHEVER DATE SHALL LAST OCCUR.

DISCIPLINARY ACTION MAY ALSO INCLUDE, BUT IS NOT LIMITED TO, THE RIGHT OF THE SERIES ORGANIZERS AND OFFICIALS TO SUSPEND EITHER TEMPORARILY, OR PERMANENTLY, ANY DRIVER, TEAM MEMBER OR TEAM SPONSOR, WHOSE ACTIONS, IN THE SOLE OPINION AND DISCRETION OF THE SERIES ORGANIZERS AND OFFICIALS, MAY HAVE RESULTED IN, OR MAY RESULT IN, HARM OR DETRIMENT TO THE CRATE RACIN' USA DIRT LATE MODEL SERIES.

THE SERIES ORGANIZERS AND OFFICIALS ALSO RESERVE THE RIGHT TO REQUEST THE REMOVAL OF ANY STATEMENTS, SIGNAGE OR DECAL ON ANY RACE CAR, TRAILER OR TRANSPORTER. FAILURE TO COMPLY WITH THIS REQUEST FOR REMOVAL MAY RESULT IN DISQUALIFICATION FROM SOME OR ALL OF THE CRATE RACIN' USA DIRT LATE MODEL SERIES EVENTS.

THE DECISIONS MADE, AND THE DISCIPLINARY ACTIONS TAKEN, BY THE SERIES ORGANIZERS AND OFFICIALS HEREUNDER SHALL NOT BE APPEALED BY THE DRIVER, TEAM MEMBER OR TEAM SPONSOR AFFECTED THEREBY.


PLEASE NOTE: BY ENTERING, QUALIFYING AND/OR RACING IN A CRATE RACIN' USA DIRT LATE MODEL SERIES EVENT, YOU ARE ACCEPTING THESE RULES AND REGULATIONS AS BEING THOSE UNDER WHICH YOU ARE PREPARED TO RACE. ANY DRIVER ENTERING AND COMPETING IN A CRATE RACIN' USA DIRT LATE MODEL SERIES EVENT ACKNOWLEDGES AND ACCEPTS THE FOLLOWING: THE CRATE RACIN' USA DIRT LATE MODEL SERIES AND ITS ASSIGNS MAY USE THE DRIVERS NAMES, PICTURES, LIKENESS, AND PERFORMANCES IN ANY WAY, MEDIUM, OR MATERIAL; INCLUDING WITHOUT LIMITATION BY AND THROUGH, TELEVISION, RADIO, AIR WAVE: CABLE AND SATELLITE BROADCASTS, FILM PRODUCTIONS, VIDEOTAPE REPRODUCTIONS, AUDIOTAPE REPRODUCTIONS, TRANSMISSIONS OVER THE INTERNET, AND PUBLIC AND PRIVATE ON-LINE SERVICES AUTHORIZED BY THE CRATE RACIN' USA DIRT LATE MODEL SERIES AND THE LIKE, BEFORE, DURING AND AFTER THE EVENT, FOR PROMOTING, ADVERTISING, RECORDING OR REPORTING IN THE EVENT OR ANY OTHER CRATE RACIN' USA DIRT LATE MODEL SERIES SANCTIONED EVENT, AND DUE HEREBY RELINQUISH ALL RIGHTS THERE TO FOR THESE PURPOSES, PROVIDED HOWEVER, THAT THE CAR OWNER AND DRIVER SHALL RETAIN THE EXCLUSIVE USE OF ITS OR HIS NAME; PICTURE AND LIKENESS IN CONNECTION WITH PRODUCT

ENDORSEMENTS AND THE SALE OF PRODUCTS, SERVICES, CONCESSIONS AND MERCHANDISE.


BEST 11 FINISHES ALONG WITH BONUS POINTS, OVER THE RACING SEASON THAT RUNS FROM MARCH 2021 TO OCTOBER, 2021 WILL BE COUNTED FOR POINT TOTALS.

IN THE EVENT OF TIE IN POINTS, THE TIE WILL BE BROKEN AS FOLLOWS: 1ST TIE BREAKER NUMBER OF 50 POINT RACE WINS,


All body components 4" Min. above ground.
All body measurements are maximum unless otherwise specified.



15" Min.
17" Max




Series Spoiler Support Dimensions



All specifications here are measurements above the deck. Be sure to allow 1" - 1 1/2" along lower edge to break for mounting purposes. Bottom corner of spoiler support should not extend past rear corner of deck. A maximum of 1" break along upper edge.

72" spoiler



Roof Supports

ROOF SUPPORTS OR "C" PILLARS ON BOTH SIDES MUST BE MADE OF EQUAL MATERIAL. WINDOW OPENINGS ARE ALLOWED BUT MUST BE THE SAME SIZE OPENING ON LEFT AND RIGHT SIDE IF CLEAR LEXAN WINDOW IS USED IT MUST BE USED ON BOTH SIDES BOTH SIDES OPEN OR BOTH SIDES CLOSED. CURVED OR ARCED ROOF SUPPORTS ALLOWED, 3" MAXIMUM ARC ALLOWED AT WIDEST POINT, CHECKED WITH STRAIGHT EDGE, EXTENDED FROM ROOF EDGE TO DOOR EDGE.

